UNCLASSIFIED

AD 407 066

DEFENSE DOCUMENTATION CENTER

FOR


SCIENTIFIC AND TECHNICAL INFORMATION

CAMERON STATION, ALEXANDRIA, VIRGINIA



UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.



U.S. NAVAL RADIOLOGICAL DEFENSE LABORATORY SAN FRANCISCO 24, CALIFORNIA

12ND. P7463

#2.60

PHYSICAL CHEMISTRY BRANCH E. C. Freiling, Head

CHEMICAL TECHNOLOGY DIVISION
L. H. Gevantman, Head

ADMINISTRATIVE INFORMATION

The work reported was requested specifically by the Fallout Studies Branch, Division of Biology and Medicine, U. S. Atomic Energy Commission, in addition to that already sponsored under AEC Contract No. AT(49-7)-1963. The project is described in USNRDL Technical Program Summary for Fiscal Years 1963, 1964, and 1965, 1 November 1962. It is designated as Problem 7, Program A-1.

AVAILABILITY OF COPIES

Requests for additional copies by agencies or activities of the Department of Defense, their contractors certified to ASTIA, and other government agencies or activities should be directed to the Armed Services Technical Information Agency, Arlington Hall Station, Atm: TIPCR, Arlington 12, Virginia.

All other persons and organizations should direct requests for this report to the U. S. Department of Commerce, Office of Technical Services, Washington 25, D. C.

Eugene P. Cooper

Eugene P. Cooper Scientific Director f. D. Hoto

E.B. Roth, CAPT USN
Commanding Officer and Director

ABSTRACT

Chain yields and independent yields of the U²³⁸ fission products from a thermonuclear explosion have them estimated. Since unclassified data for this kind of process are scanty, some features of the mass yield curve were inferred from published data on U²³⁸ fission by neutrons ranging from fission-spectrum energies to 14 Mev. Independent yields of the fission products were then calculated by application of the equal charge displacement (EGD) theory of nuclear charge distribution in fission processes.

SUMMARY

Fallout studies require a knowledge of the amounts of each fission product radionuclide produced in a thermonuclear explosion. Such yield values are fairly well known for certain kinds of fission processes. However, their determination is difficult for thermonuclear events, and, in any case, not much unclassified information on the subject is available. In this report $\tt U^{238}$ thermonuclear fission product yields have been estimated by theoretical methods based on observed correlations of the yields of other fission processes.

INTRODUCTION

The use of fallout formation models, such as C. F. Miller's fractionation model (which is being employed at NRDL), requires a knowledge of the independent yields of the fission product radionuclides for the fission process under consideration. In the case of a thermonuclear explosion, the only available unclassified data of this kind are a number of chain yields. In order to use the model to make predictions for comparison with field-collected data, it was necessary to make some kind of estimate of the fission product independent yields of a thermonuclear explosion.

The chain yield for any mass number, which is the average number of radionuclides of that mass number produced per fission, depends on the nature of the fissile material and the identity and energy of the fissioning projectile. The total yields of the fission product decay chains for various fission processes involving uranium and plutonium isotopes are fairly accurately known.3,4 However, these data all pertain to fission processes initiated either by thermal neutrons, fission neutrons, or neutrons having a narrow, well-defined energy range. In thermonuclear explosions the energy spectrum of the neutrons is not well-defined. No theoretical or empirical method for extrapolating the known yield data to the thermonuclear fission process is known.

The independent yields, i.e., the yields of the individual radio-nuclides, are much less well known than the chain yields. Many experimental determinations have been made for thermal neutron fission of U²³⁵ but the data are still incomplete. On the basis of the available information Glendenin and others⁵ have developed a method, based on the hypothesis of equal charge displacement (ECD), for correlating independent yield with the most probable nuclear charge of fission fragments.

In this report, chain yields for thermonuclear fission were estimated from a curve drawn on the basis of a few reported values. Independent yields were then calculated according to the ECD method.

ESTIMATION OF CHAIN YIELDS

A yield curve was constructed from the 21 mass-chain yield values for thermonuclear fission published by Hallden, et al. 2 Inspection shows that these points are very nearly symmetrical around an axis drawn through mass number 118. This axis of symmetry corresponds to the prompt emission of 3 neutrons per fission. In 14-Mev neutron fission of U²³⁸, reported values for the number of prompt neutrons per fission range from 4.13 to 4.55.6,7,8,9 The value of three prompt neutrons per fission lies between the values observed for 14-Mev fission and for fission-neutron fission 10 of U²³⁸.

The given points and their reflections outline fairly well the wings of the curve and the light- and heavy-fragment peaks, and they indicate the location of the valley. However, none of the points fall in the transition regions between the valley and the two peaks. Observed yields in this region for l4-Mev neutron and fission-neutron fission of U^{238} were examined with the intention of choosing intermediate values for the thermonuclear yield estimates. However, intermediate values are too low to permit a smooth joining of the reported thermonuclear yields. The values used in this region, which closely resemble the l4-Mev neutron U^{238} fission yields, provide a smooth fit.

A smooth curve was drawn through the outline provided by the points thus obtained. The curve was then normalized to yield 200 fragments for 100 U 238 fissions. The final form of the curve is presented in Fig. 1. The light-fragment part of the curve is quite similar to the yield curve for 14-Mev fission of U 238 , but the heavy-fragment portion is shifted about one mass unit to the right. The yields in the valley are intermediate to those reported for 14-Mev fissions and fission-neutron fission of U 238 , and they correspond fairly well to those determined by Levy, et al. for U 238 fission by neutrons from the Al (α , n) reaction.

The studies of Levy and co-workers of the yields of U^{238} fission by broad energy spectrum neutron fluxes suggest a means of testing the estimates from the curve. It has been established that, with neutron fluxes of mean energies in the range from 2 to 3 Mev to about 10 Mev, the yields y_i and y_j of any two mass chains i and j (produced at the same neutron energy) fit the linear relationship:

$$y_{i} = c_{i,j} y_{j} + d_{i,j}$$
 (1)

where c_{ij} and d_{ij} are independent of the energy. Thus, if one plots y_i versus y_j for U^{238} fission by neutron fluxes of several different energy spectra, all the points should fall on the same straight line. However, the relationship is not completely general, as Levy, et al., 12 have shown by experiments on U^{235} fission.

The yield curve for thermonuclear fission in Fig. 1 has been tested according to this equation. The fit is not as good as that of the experimental data of Levy, et al., but compares favorably with the fit of published data for 14-Mev fission and fission-neutron fission of U^{230} . The measure of agreement with this relationship shown by the estimates lends some degree of support to the estimates. This is particularly welcome in the case of the intermediate mass chains, where only three published yield values were available for constructing the curve.

CALCUIATION OF INDEPENDENT YIELDS

In any fission process, direct determination of the independent yield of any particular radionuclide is not usually possible, and recourse must be made to empirical or theoretical methods of calculating these yields. The status of this subject has been well reviewed in the literature. 13 At least three different theoretical approaches have been suggested and investigated. In spite of the difficulty of making direct experimental determinations of the independent yields, sufficient data has been accumulated to make a strong case for the ECD method of Glendenin and Coryell. We have therefore used this method to calculate the charge distribution, i.e., the partition of the chain yields among the members of the chain.

A most stable charge number, Z_A , can be associated with any nucleus of mass number A. Z_A is an essentially linear function of A within a given nucleon-shell region but undergoes upward discontinuity on crossing a neutron-shell edge and downward discontinuity on crossing a proton-shell edge. Values of Z_A as a function of A are given by Coryell. 14 Now, suppose a compound nucleus having charge number Z_c and mass number A_c undergoes fission into two fragments of masses A_1 and A_2 . The two fragments will release v_1 and v_2 prompt neutrons respectively. In the absence of better information we will assume that v_1 and v_2 are on the average each equal to half the total number of prompt neutrons observed in the fission event. As remarked above, this total number is assumed to be three for thermonuclear fission. According to Coryell, 13 we can calculate the most probable charge number, $Z_p(A_1)$, associated with the fragment of mass A_1 by:




Fig. 1 Mass Yield Curve

$$Z_{p}(A_{1}) = Z_{(A_{1} + \nu_{1})} - \frac{1}{2} \left[Z_{(A_{1} + \nu_{1})} + Z_{(A_{c} - A_{1} - \nu_{1})} - Z_{c} \right]$$
 (2)

Note that the first three subscripted Z's on the right-hand side are the most stable charge numbers associated with the subscripted mass values as given by Reference 14. The most probable charge number for the second fragment, $Z_p(A_2)$, can be calculated, of course, by substituting the value of A_2 and ν_2 for A_1 and ν_1 in Eq. (2).

Generally Z_p will be a non-integral number and will have a value more or less intermediate to the actual series of atomic numbers in the decay chain. The probability of formation, hence the yield, of any nuclide in the chain is determined by the difference between its atomic number Z and the calculated Z_p . The correlation we have used, originally due to Glendenin, is presented in Fig. 2. This curve has been constructed from values tabulated by Wahl, 15 which were normalized so that the fractional yields given by a series of values of Z_p - Z differing by one would add up to one. The curve is very nearly Gaussian for values of Z_p - Z less than about 2; for larger values it is more nearly exponential. The fraction corresponding to Z_p - Z is multiplied by the chain yield for any mass number A to give the independent yield of the radionuclide having mass A and atomic number Z.

RESULTS

The independent yields and the chain yields of the fission product radionuclides for a thermonuclear explosion are given in Table 1. The yields are expressed in terms of atoms of radionuclide produced per 10,000 U²³⁸ fissions. Table 2 presents the chain yields in terms of atoms per 1.45 x 10²³ fissions which, according to the Effects of Nuclear Weapons, is the number of fissions required to release a kiloton equivalent of TNT (10¹² calories). For thermonuclear detonations a somewhat lower value for the number of fissions is really more accurate.

Although these yield values are to be regarded merely as estimates, since they are based on a mass yield curve constructed on very fragmentary experimental data, they are the most refined estimates available at the present time. It should be borne in mind that the neutron energy spectrum of a thermonuclear explosion is not well-defined, but varies from one explosion to another. Variations as large as a factor of two greater or smaller than the estimated yields would not be unexpected in the sensitive regions of the curve.




Fig. 2 Charge Distribution

TABLE 1 Yields of Fission Products Expressed as Atoms of Radionuclide Per 10,000 U238 Fissions

| A | Element | Z | Yield | A | Element | Z | Yield |
|--------------------------------------|--|----------------------------|--|--|---|----------------------------|--|
| 77 77 77 77 77 77 | Ni Cu Zn Ga Ge Chain Yield | 28 29 30 31 32 | 0.007 0.189 0.483 0.315 0.048 | 82 82 82 82 82 | Zn Ga Ge As Se Chain Yield | 30 31 32 33 34 | 0.247 4.708 10.43 6.278 0.807 22.42 |
| 78 78 78 78 78 78 | Cu Zn Ga Ge As Chain Yield | 29 30 31 32 33 | 0.182 0.768 0.828 0.236 0.002 2.02 | 83 83 83 83 83 83 | Zn Ga Ge As Se Chain Yield | 30 31 32 33 34 | 0.050 5.914 20.80 18.90 4.461 50.12 |
| 79 79 79 79 79 79 | Cu Zn Ga Ge As Chain Yield | 29 30 31 32 33 | 0.022 0.677 1.665 1.116 0.176 3.66 | 84 84 84 84 84 84 84 84 | Ga Ge As Se Br Chain Yield | 31 32 33 34 35 | 4.223 24.64 35.19 13.69 0.313 78.21 |
| 80 80 80 80 80 80 | Zn Ga Ge As Se Chain Yield | 30 31 32 33 34 | 0.627 2. <i>6</i> 49 2.858 0.815 0.006 6.97 | 85 85 85 85 85 85 | Ga Ge As Se Br Chain Yield | 31 32 33 34 35 | 0.110 13.02 45.78 41.59 9.818 110.3 |
| 81 81 81 81 81 Contin | Zn Ga Ge As Se Chain Yield ued | 30 31 32 33 34 | 0.420 3.027 4.835 2.123 0.090 10.51 | 86 86 86 86 86 86 | Ge As Se Br Kr Chain Yield | 32 33 34 35 36 | 10.17 50.13 62.33 22.38 0.363 145.3 |

TABLE 1 (Cont'd) Yields of Fission Products Expressed as Atoms of Radionuclide per 10,000 $\rm U^{230}$ Fissions

| A | Element | Z | Yield | A | Element | Z | Yield |
|--|---|--|--|----------------------------------|--|----------------------------|--|
| 87 87 87 87 87 87 | Ge As Se Br Kr Chain Yield | 32 33 34 35 36 | 1.417 35.25 84.86 55.95 8.206 186.5 | 93 93 93 93 93 93 | Br Kr Rb Sr Y Chain Yie | 35 36 37 38 39 | 38.51 174.2 197.8 59.70 0.565 470.9 |
| 88 88 88 88 88 | As Se Br Kr Rb Chain Yield | 33 34 35 36 37 | 17.46 81.61 96.57 30.60 0.408 226.7 | 94 94 94 94 | Br Kr Rb Sr Y Chain Yie | 35 36 37 38 39 | 12.60 126.6 237.2 119.0 8.57 504.0 |
| 89 89 89 89 89 | As Se Br Kr Rb Chain Yield | 33 34 35 36 37 | 3.404 58.69 123.3 74 24 8.844 268.0 | 95 95 95 95 95 95 | Br Kr Rb Sr Y Chain Yie | 35 36 37 38 39 | 0.919 71.76 221.1 180.1 36.44 510.4 |
| 90 90 90 90 90 90 | As Se Br Kr Rb Chain Yield | 33 34 35 36 37 | 0.278 34.59 126.6 119.5 27.79 308.8 | 96 96 96 96 96 | Kr Rb Sr Y Zr Chain Yie | 36 37 38 39 40 | 33.39 177.5 229.6 79.82 1.304 521.7 |
| 91 91 91 91 91 | Se Br Kr Rb Sr Chain Yield | 34 35 36 37 38 | 11.00 100.9 168.7 80.70 4.40 366.8 | 97 97 97 97 97 | Kr Rb Sr Y Zr Chain Yie | 36 37 38 39 40 | 5.856 114.5 250.2 143.7 18.10 532.4 |
| 92 92 92 92 92 92 Continue | Se Br Kr Rb Sr Chain Yield | 3 ⁴ 35 36 37 38 | 1.86 72.13 185.7 129.9 21.37 411.0 | 98 98 98 98 98 98 | Rb Sr Y Zr Nb Chain Yie | 37 38 39 40 41 | 46.66 200.4 227.4 65.02 0.540 540.2 |

TABLE 1 (Cont'd)

Yields of Fission Products Expressed as Atoms of Radionuclide per 10,000 U²³⁸ Fissions

| | Element | Z | Yield | A. | Element | Z | Yield |
|---------------|---------------|----------|-------|-----|------------|--------------|----------------|
| 99 | Rb | 37 | 5.48 | 105 | Zr | 40 | 19.85 |
| 99 | Sr | 38 | 112.0 | 105 | Nb | 41 | 120.7 |
| 99 | Y | 39 | 256.7 | 105 | Mo | 42 | 176.6 |
| 99 | Zr | 40 | 152.9 | 105 | ${f Tc}$ | 43 | 70.06 |
| 99 | ŃЪ | 41 | 20.82 | 105 | Ru | 44 | 2.06 |
| 99 | Chain Yield | | 547.9 | 105 | Chain Yiel | l d . | 389.2 |
| 100 | Sr | 38 | 42.32 | 106 | Zr | 40 | 2.01 |
| 100 | Y | 39 | 195.3 | 106 | Nb | 41 | 61.99 |
| 100 | Zr | 40 | 233.3 | 106 | Мо | 42 | 154.4 |
| 100 | NЪ | 41 | 70.53 | 106 | ${\tt Tc}$ | 43 | 100.7 |
| 100 | Мо | 42 | 0.814 | 106 | Ru | 44 | 16.08 |
| 100 | Chain Yield | | 542.5 | 106 | Chain Yiel | ld | 335.1 |
| 101 | Sr | 38 | 2.40 | 107 | Nb | 41 | 24.80 |
| 101 | Y | 39 | 93.44 | 107 | Mo | 42 | 106.7 |
| 101 | z_{r} | 40 | 240.3 | 107 | Te | 43 | 113.0 |
| 101 | Nb | 41 | 168.2 | 107 | Ru | 44 | 30 . 87 |
| 101 | Mo | 42 | 27.87 | 107 | Rh | 45 | 0.248 |
| 101 | Chain Yield | | 532.2 | 107 | Chain Yiel | Lđ | 275.6 |
| 102 | Y | 39 | 33.73 | 108 | Nb . | 41 | 7.286 |
| 102 | $Z\mathbf{r}$ | 40 | 176.3 | 108 | Мо | 42 | 61.16 |
| 102 | Nb | 41 | 223.1 | 108 | Te | 43 | 101.6 |
| 1.02 | Мо | 42 | 76.67 | 108 | Ru | 44 | 48.36 |
| 102 | Tc | 43 | 1.226 | 108 | Rh | 45 | 2.80 |
| ros | Chain Yield | | 511.1 | 108 | Chain Yiel | .d | 220.8 |
| 100 | TP. | 20 | # ar/ | 100 | 777 | 1. 5 | 0.1.00 |
| 103 | Y | 39 40 | 7.356 | 109 | Nb | 41 | 0.420 |
| L03 | Zr | | 112.0 | 109 | Mo | 42 | 24.72 |
| LO3. | Nb Mo | 41 42 | 230.5 | 109 | Tc | 43 | 67.95 |
| 103 | Mo | | 127.5 | 109 | Ru | 44 1. = | 52.09 |
| LO3 | Te | 43 | 13.24 | 109 | Rh. | 45 | 10.42 |
| 103 | Chain Yield | | 490.4 | 109 | Chain Yiel | La | 155.5 |
| LO4 | Y | 39 | 0.295 | 110 | Mo | 42 | 5.62 |
| LO4 | Zr | 40 | 45.49 | 110 | Tc | 43 | 28.01 |
| 1.04 | Nb | 41 | 174.3 | 110 | Ru | 44 | 33.93 |
| LO4 | Мо | 42 | 169.9 | 110 | Rh | 45 | 11.71 |
| LO4 | Te | 43 | 42.89 | 110 | Pd. | 46 | 0.159 |
| 104 Contin | Chain Yield | | 433.2 | 110 | Chain Yiel | Ld. | 79.37 |

TABLE 1 (Cont'd)
Yields of Fission Products Expressed as Atoms of Radionuclide per 10,000 U²³⁸ Fissions

| | | <u>.</u> | r 10,000 0 | · · · · · · · · · · · · · · · · · · · | SIONS | | |
|---|--|----------------------------|--|--|--|-----------------------------------|--|
| A | Element | Z | Yield | A | Element | Z | Yield |
| 111 111 111 111 111 111 | Mo Tc Ru Rh Pd Chain Yield | 42 43 44 45 46 | 0.527 9.36 19.48 11.51 1.18 42.17 | 117 117 117 117 117 117 | Ru Rh Pd Ag Cd Chain Yie | 44 45 46 47 48 | 0.270 5.16 11.42 6.87 0.884 24.55 |
| 112 112 112 113 115 | Mo Tc Ru Rh Pd Chain Yield | 42 43 44 45 46 | 0.030 3.57 12.36 11.34 2.67 29.99 | 118 118 118 118 118 | Ru Rh Pd Ag Cd Chain Yie | 44 45 46 47 48 | 0.530 5.90 11.52 5.90 0.530 24.09 |
| 113 113 113 113 113 | Tc Ru Rh Pd Ag Chain Yield | 43 44 45 46 47 | 1.51 8.33 11.71 4.40 0.107 26.03 | 119 119 119 119 119 | Ru Rh Pd Ag Cd Chain Yie | 44 45 46 47 48 | 0.883 6.87 11.41 5.15 0.270 24.53 |
| 124 124 124 124 124 124 | Tc Ru Rh Pd Ag Chain Yield | 43 44 45 46 47 | 0.198 4.92 11.84 7.81 1.15 26.02 | 120 120 120 120 120 120 | Ru Rh Pd Ag Cd Chain Yie | 44 45 46 47 48 | 0.273 5.26 11.50 6.83 0.869 24.83 |
| 115 115 115 115 115 115 | Ru Rh Pd Ag Cd Chain Yield | 44 45 46 47 48 | 2.48 10.01 10.31 2.75 0.018 25.02 | 121 121 121 121 121 | Ru Rh Pd Ag Cd Chain Yie | 44 45 46 47 48 | 0.018 2.68 10.01 9.89 2.50 25.03 |
| 116 116 116 116 116 116 Continu | Ru Rh Pd Ag Cd Chain Yield ued | 44 45 46 47 48 | 0.872 6.85 11.53 5.28 0.274 24.90 | 122 122 122 122 122 122 | Rh Pd. Ag Cd In Chain Yie | 45 46 47 48 49 ∍1d | 1.11 7.54 11.83 4.59 0.177 25.23 |

TABLE 1 (Cont'd)

Yields of Fission Products Expressed as Atoms of Radionuclide per 10,000 U²³⁸ Fissions

| | and the state of t | | | | *********** | | |
|--------|--|----|-------|-----|-------------|-----|-------------|
| A | Element | Z | Yield | A | Element | Z | Yield |
| 123 | Rh | 45 | 0.104 | 129 | Ag | 47 | 0.195 |
| 123 | Pd | 46 | 4.60 | 129 | <u>C</u> d. | 48 | 31.12 |
| 123 | Ag | 47 | 11.71 | 129 | In | 49 | 112.8 |
| 123 | Cd | 48 | 8.23 | 129 | Sn | 50 | 107.4 |
| 123 | In | 49 | 1.35 | 129 | Sb | 51 | 26.40 |
| 123 | Chain Yield | | 25.96 | 129 | Chain Yie | Ta | 277.9 |
| 124 | Pd | 46 | 2.62 | 130 | Cd. | 48 | 15.04 |
| 124 | Ag | 47 | 11.18 | 130 | In | 49 | 102.0 |
| 124 | Cd | 48 | 12.57 | 130 | Sn | 50 | 155.4 |
| 124 | In | 49 | 3.70 | 130 | Sb | 51 | 59.49 |
| 12/4 | Sn | 50 | 0.036 | 130 | Te | 52 | 2.34 |
| 124 | Chain Yield | | 30.09 | 130 | Chain Yie | ld. | 334.2 |
| 125 | Pd | 46 | 1.14 | 131 | Cd | 48 | 1.95 |
| 125 | Ag | 47 | 10.64 | 131 | In | 49 | 69.60 |
| 125 | Cd | 48 | 19.78 | 131 | Sn | 50 | 178.4 |
| 125 | In | 49 | 9.86 | 131 | Sb | 51 | 120.1 |
| 125 | Sn | 50 | 0.716 | 131 | Te | 52 | 19.88 |
| 125 | Chain Yield | | 42.12 | 131 | Chain Yie | eld | 389.9 |
| 126 | Pd | 46 | 0.158 | 132 | In | 49 | 38.24 |
| 126 | Ag | 47 | 11.12 | 132 | Sn | 50 | 165.1 |
| 126 | Cd | 48 | 33.29 | 132 | Sb | 51 | 179.1 |
| 126 | In | 49 | 27.86 | 132 | Te | 52 | 51.71 |
| 126 | Sn | 50 | 6.01 | 132 | I | 53 | 0.391 |
| 126 | Chain Yield | | 79.04 | 132 | Chain Yie | ld | 434.5 |
| 127 | Ag | 47 | 10.11 | 133 | In | 49 | 13.26 |
| 127 | Cā | 48 | 51.35 | 133 | Sn | 50 | 129.6 |
| 127 | In | 49 | 68.78 | 133 | Sb | 51 | 229.4 |
| 127 | Sn | 50 | 25.05 | 133 | Te | 52 | 111.4 |
| 127 | Sb | 51 | 0.467 | 133 | I | 53 | 7.37 |
| 127 | Chain Yield | | 155.6 | 133 | Chain Yie | | 491.0 |
| 128 | Ag | 47 | 2.43 | 134 | In | 49 | 1.03 |
| 128 | Cd. | 48 | 46.39 | 134 | Sn | 50 | 76.03 |
| 128 | In | 49 | 102.4 | 134 | Sb | 51 | 222.4 |
| 128 | Sn | 50 | 61.75 | 134 | Te | 52 | 176.0 |
| 128 | Sb | 51 | 7.95 | 134 | I | 53 | 36.89 |
| 128 | Chain Yield | | 220.9 | 134 | Chain Yie | | 512.3 |
| Contin | | | • | • | | | . • |

TABLE 1 (Cont¹d)

Yields of Fission Products Expressed as Atoms of Radionuclide per 10,000 U²³⁸ Fissions

| A | Element | Z | Yield | A | Element | Z | Yield |
|--------|-------------|----------|-------|---------|--------------|----------|-------|
| 135 | Sn | 50 | 27.65 | 141 | I | 53 | 38.24 |
| 135 | Sb · | 51 | 168.6 | 141 | Хe | 54 | 179.4 |
| 135 | Te | 52 | 239.3 | 141 | Cs | 55 | 219.7 |
| 135 | I | 53 54 | 94.13 | J1+J · | Ba | 56 | 71.37 |
| 135 | Xe. | 54 | 2.13 | 141 | La | 57 | 1.02 |
| 135 | Chain Yield | | 531.8 | 141 | Chain Yie | | 509.8 |
| 136 | Sn | 50 | 1.09 | 142 | I | 53 | 8.46 |
| 136 | Sb | 51 | 74.91 | 142 | Хe | 53 54 | 116.0 |
| 136 | Te | 52 | 230.8 | 142 | Cs | 55 | 234.0 |
| 136 | I | 53 | 192.8 | 142 | Ba | 56 | 126.4 |
| 136 | Хe | 54 | 42.86 | 142 | Ιa | 57 | 12.94 |
| 136 | Chain Yield | | 542.5 | 142 | Chain Yie | | 497.8 |
| 137 | Sb | 51. | 19.64 | 143 | I | 53 | 0.567 |
| 137 | Te | 52 | 152.8 | 143 | Xe | 53 54 | 57.62 |
| 137 | I | 53 | 252.6 | 143 | Cs | 55 | 197.4 |
| 137 | Xe | 54 | 114.6 | 143 | Ba | 56 | 176.2 |
| 137 | Cs | 55 | 6.00 | 143 | Ia | 57 | 40.62 |
| 137 | Chain Yield | | 545.6 | 143 | Chain Yie | | 472.5 |
| 138 | Sb. | 51 | 0.430 | 144 | Хe | 54 | 21.35 |
| 138 | Te | 52 | 59.58 | 144 | Cs | 55 | 130.2 |
| 138 | I | 53 | 222.1 | 144 | Ba | 56 | 184.8 |
| 138 | Хe | 54 | 208.5 | 144 | La | 57 | 72.68 |
| 138 | Cs | 55 | 51.45 | 144 | Ce | 58 | 1.64 |
| 138 | Chain Yield | | 541.6 | 7111 | Chain Yie | | 410.7 |
| 139 | Te | 52 | 18.10 | 145 | Хe | 54 | 2.18 |
| 139 | I | 53 | 146.4 | 145 | Cs | 55 | 67.25 |
| 139 | Xe | 54 | 247.6 | 145 | Ba | 56 | 165.8 |
| 139 | Cs | 55 | 114.5 | 145 | Ia | 57 | 110.9 |
| 139 | Ba | 56 | 6.39 | 145 | Ce | 58 | 17.45 |
| 139 | Chain Yield | /- | 532.4 | 145 | Chain Yie | | 363.6 |
| 140 | Te | 52 | 1.57 | 146 | Cs | 55 | 25.94 |
| 140 | Ī | 53 | 79.88 | 146 | Ba | 56 | 112.7 |
| 140 | Х́е | 54 | 229.7 | 146 | La | 57 | 130.9 |
| 140 | Cs | 55 | 177.0 | 146 | Ce | 58 | 38,91 |
| 140 | Ba | 56 | 34.98 | 146 | Pr | 59 | 0.309 |
| 140 | Chain Yield |) | 522.1 | 146 | Chain Yie | | 308.8 |
| Contin | | | J | J., T O | CARACTE ALLC | | 500.0 |

TABLE 1 (Cont*d)

Yields of Fission Products Expressed as Atoms of Radionuclide per 10,000 U²³⁸ Fissions

| A | Element | Z | Yield | A | Element | Z | Yield |
|---|--|----------------------------|--|---|---|-----------------------------------|--|
| 135 135 135 135 135 135 | Sn Sb Te I Xe Chain Yield | 50 51 52 53 54 | 27.65 168.6 239.3 94.13 2.13 531.8 | 141 141 141 141 141 141 | I Xe Cs Ba Ia Chain Yie | 53 54 55 56 57 eld | 38.24 179.4 219.7 71.37 1.02 509.8 |
| 136 136 136 136 136 136 | Sn Sb Te I Xe Chain Yield | 50 51 52 53 54 | 1.09 74.91 230.8 192.8 42.86 542.5 | 142 142 142 142 142 142 | I Xe Cs Ba Ia Chain Yie | 53 54 55 56 57 | 8.46 116.0 234.0 126.4 12.94 497.8 |
| 137 137 137 137 137 137 | Sb Te I Xe Cs Chain Yield | 51 52 53 54 55 | 19.64 152.8 252.6 114.6 6.00 545.6 | 143 143 143 143 143 143 | I Xe Cs Ba IA Chain Yie | 53 54 55 56 57 | 0.567 57.62 197.4 176.2 40.62 472.5 |
| 138 138 138 138 138 | Sb Te I Xe Cs Chain Yield | 51 52 53 54 55 | 0.430 59.58 222.1 208.5 51.45 541.6 | 144 144 144 144 144 144 | Xe Cs Ba Ia Ce Chain Yie | 54 55 56 57 58 | 21.35 130.2 184.8 72.68 1.64 410.7 |
| 139 139 139 139 139 139 | Te I Xe Cs Ba Chain Yield | 52 53 54 55 56 | 18.10 146.4 247.6 114.5 6.39 532.4 | 145 145 145 145 145 145 145 | Xe Cs Ba Ia Ce Chain Yie | 54 55 56 57 58 | 2.18 67.25 165.8 110.9 17.45 363.6 |
| 140 140 140 140 140 140 140 Continue | Te I Xe Cs Ba Chain Yield | 52 53 54 55 56 | 1.57 79.88 229.7 177.0 34.98 522.1 | 146 146 146 146 146 146 | Cs Ba Ia Ce Pr Chain Yie | 55 56 57 58 59 | 25.94 112.7 130.9 38.91 0.309 308.8 |

TABLE 1 (Cont'd)

Yields of Fission Products Expressed as Atoms of Radionuclide per 10,000 U²³⁸ Fissions

| A | Element | Z | Yield | Α | Element | Z | Yield |
|--|--|----------------------------|--|--|---|-----------------------------------|---|
| 147 147 147 147 147 147 | Cs Ba IA Ce Pr Chain Yield | 55 56 57 58 59 | 8.02 73.80 123.5 58.8 3.21 267.4 | 152 152 152 152 152 152 | Iæ Ce Pr Nd Pm Chain Yie | 57 58 59 60 61 | 0.781 16.31 35.75 21.86 2.97 78.06 |
| 148 148 148 148 148 148 | Cs Ba Ia Ce Pr Chain Yield | 55 56 57 58 59 | 0.455 30.69 97.06 80.92 18.18 227.3 | 153 153 153 153 153 153 | Ce Pr Nd Pm Sm Chain Yie | 58 59 60 61 62 | 4.17 18.38 20.86 6.11 0.050 49.67 |
| 149 149 149 149 149 149 | Ba I.a Ce Pr Nd Chain Yield | 56 57 58 59 60 | 8.22 56.07 85.04 35.32 1.50 186.9 | 154 154 154 154 154 154 | Ce Pr Nd Pm Sm Chain Yie | 58 59 60 61 62 | 0.787 6.25 10.46 4.79 0.022 22.49 |
| 150 150 150 150 150 150 | Ba La Ce Pr Nd Chain Yield | 56 57 58 59 60 | 0.291 21.69 64.21 49.80 9.61 145.6 | 155 155 155 155 155 155 | Ce Pr Nd Pm Sm Chain Yie | 58 59 60 61 62 | 0.094 2.18 4.80 2.96 0.409 10.48 |
| 151 151 151 151 151 151 Contin | Ia Ce Pr Nd Pm Chain Yield ued | 57 58 59 60 61 | 5.75 34.73 49.99 19.58 0.553 110.6 | 156 156 156 156 156 156 | Ce Pr Nd Pm Sm Chain Yie | 58 59 60 61 62 ≘1d | 0.006 0.817 2.86 2.65 0.628 6.98 |

TABLE 1 (Cont'd)

Yields of Fission Products Expressed as Atoms of Radionuclide Per 10,000 U²3° Fissions

| ··· | | | | |
|--|---|----------------------------|---|--|
| А | Elements | Z | Yield | |
| 157 157 157 157 157 157 | Pr Nd Pm Sm Eu Chain Yield | 59 60 61 62 63 | 0.180 1.13 1.67 0.67 0.022 3.68 | |
| 158 158 158 158 158 158 | Pr Nd Pm Sm Eu Chain Yield | 59 60 61 62 63 | 0.010 0.370 0.919 0.628 0.101 2.02 | |
| 159 159 159 159 159 159 | Nd Pm Sm Eu Gd Chain Yield | 60 61 62 63 64 | 0.093 0.398 0.440 0.126 0.001 1.06 | |

TABLE 2 Chain Yields Expressed as Atoms per 1.45 x 10^{23} Fissions

| Mass No. | Atoms KT x 10-19 | Mass No. | Atoms KT x 10-19 | Mass No. | Atoms KT x 10-19 | |
|---|---|---|---|---|---|---|
| 77 78 79 80 81 82 83 | 1.52 2.93 5.31 10.1 15.2 32.5 72.7 | 105 106 107 108 109 110 | 564.3 485.9 399.6 320.2 225.5 115.1 61.1 | 133 134 135 136 137 138 139 | 712.0 742.8 771.1 786.6 791.1 785.3 772.0 | |
| 84 85 86 87 88 89 90 | 113.4 159.9 210.7 270.4 328.7 388.6 447.8 | 112 113 114 115 116 117 | 43.5 37.7 37.7 36.3 36.1 35.6 34.9 | 140 141 142 143 144 145 | 757.0 739.2 721.8 685.1 595.4 527.1 447.8 | I |
| 91 92 93 94 95 96 | 531.9 596.0 682.8 730.8 740.1 756.5 772.0 | 119 120 121 122 123 124 125 | 35.6 36.0 36.3 36.6 37.6 43.6 61.1 | 147 148 149 150 151 152 | 387.7 329.6 271.0 211.1 160.4 113.2 72.0 | |
| 98 99 100 101 102 103 104 | 783.3 794.5 786.6 771.7 741.1 711.1 628.1 | 126 127 128 129 130 131 132 | 114.6 225.6 320.3 403.3 484.6 565.3 630.0 | 154 155 156 157 158 159 | 32.6 15.2 10.1 5.34 2.93 1.54 | |

REFERENCES

- C. F. Miller. A Theory of Formation of Fallout From Iand Surface Nuclear Detonations and Decay of Fission Products. U. S. Naval Radiological Defense Laboratory Technical Report, USNRDL-TR-425, 27 May 1960.
- 2. N. A. Hallden, I. M. Fisenne, L. D. Y. Ong and J. H. Harley. Health and Safety Laboratory Fallout Program Quarterly Summary Report. HASL-117, p. 194, 30 December 1961.
- 3. S. Katcoff, Nucleonics 16:78 (1958) and 18:201 (1960).
- 4. L. E. Weaver, P. O. Strom, P. A. Killeen. Estimated Total Chain and Independent Fission Yield for Several Neutron-Induced Fission Processes. U. S. Naval Radiological Defense Laboratory Technical Report, USNRDL-TR-633, 5 March 1963.
- L. E. Glendenin, C. D. Coryell, R. R. Edwards. National Nuclear Energy Series. Div. IV, Vol. 9, Paper 52. McGraw-Hill Book Co., New York, 1951.
- 6. N. N. Flerov, V. M. Taltzin. Atomnaya Energiya 5:653 (1958).
- 7. Yu. A. Vasil'ev. Zhur. Eksptl. i. Teoret. Fiz. 38:671 (1960). C. A. 56:8249.
- 8. G. Vendoyes, et al., Proc. Int. Conf. on Neutron Interaction with Nucleus. (Columbia University, Sept. 9-13, 1957. USAES, TISE Oak Ridge, Tennessee), TID-7547.
- 9. N. N. Flerov, E. A. Tamanov. J. Nucl. Energy, Part A: Reactor Science 12:101 (1960).
- 10. R. Sher, J. Leroy. J. Nucl. Energy, Part A: Reactor Science 12:101 (1960).
- 11. H. B. Levy, H. G. Hicks, W. E. Nervik, P. C. Stevenson, J. B. Niday, J. C. Armstrong, Jr. Phys. Rev. 124:544(1961).
- 12. H. B. Levy, H. G. Hicks, W. E. Nervik, P. C. Stevenson, J. B. Niday, J. C. Armstrong, Jr. <u>Phys. Rev. 128</u>:700 (1962).

- 13. C. D. Coryell, M. Kaplan, R. D. Fink. Can. J. Chem. 39:646 (1961).
- 14. C. D. Coryell. MIT Lab. Nuclear Sci. Ann. Progress Report, 1 June 1956-31 May 1957.
- 15. A. Wahl. J. Inorg. Nucl. Chem. 6:263 (1958).

INITIAL DISTRIBUTION

Copies

| | NAVY |
|--|--|
| 3 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Chief, Bureau of Ships (Code 210L) Chief, Bureau of Ships (Code 320) Chief, Bureau of Medicine and Surgery Chief, Bureau of Naval Weapons (RRMA-11) Chief, Bureau of Yards and Docks (Code 74) Chief, Bureau of Yards and Docks (Code C-400) Chief of Naval Operations (Op-07T) Chief of Naval Research (Code 104) Office of Naval Research (Code 422) Commander, New York Naval Shipyard (Material Lab.) Director, Naval Research Laboratory (Code 2021) Director, Naval Research Laboratory (Code 6370) Office of Naval Research, FPO, New York CO, U.S. Naval Civil Engineering Laboratory U.S. Naval School (CEC Officers) Commander, Naval Air Material Center, Philadelphia Naval Medical Research Institute Oic, Radiation Exposure Evaluation Laboratory U.S. Naval Postgraduate School, Monterey Commander, Naval Ordnance Laboratory, Silver Spring Office of Patent Counsel, San Diego U.S. Naval Hospital, San Diego CO, Civil Engineering Laboratory (Port Hueneme) CO, Naval Medical Research Unit No. 2 CO, Naval Medical Field Research Lab., Camp Lejeune |
| | ARMY |
| 1 1 1 1 | Chief of Research and Development (Atomic Div.) Chief of Research and Development (Life Science Div.) Deputy Chief of Staff for Military Operations (DGM) Deputy Chief of Staff for Military Operations (CBR) |

```
Chief of Engineers (ENGMC-EB)
           Chief of Engineers (ENGMC-DE)
1
           Chief of Engineers (ENGCW)
1
           CG, Army Materiel Command (AMCRD-DE-N)
CG, Army Materiel Command (AMCRD-RS-EE)
1
1
1
           CG, Ballistic Research Laboratories
1
           CG, USA CBR Agency
3
           CO, BW Laboratories
           CO, Chemical Corps Training Command
1
1
           Commandant, Chemical Corps Schools (Library)
1
           CG, CBR Combat Developments Agency
1
           CO, Chemical Research and Development Laboratories
1
           Commander, Chemical Corps Nuclear Defense Laboratory
1
           CO, Army Environmental Hygiene Agency
           CG, Aberdeen Proving Ground
1
           CO, Army Medical Research Laboratory
1
           Army Medical Research and Nutrition Laboratory (MEDEN-AD)
1
           CO, Army Medical Service Combat Development Agency
1
2
           Medical Field Service School, Fort Sam Houston (Stimson Lib.)
           Brooke Army Medical Center (Dept. Prev. Med.)
1
1
           Director, Walter Reed Army Medical Center
1
           Hq., Army Nuclear Medicine Research Detach., Europe
           CG, Combat Developments Command (CDCMR-V)
1
1
           CG, Quartermaster Res. and Eng. Command
1
           Hq., Dugway Proving Ground
3
           The Surgeon General (MEDNE)
           Office of the Surgeon General (Combat Dev.)
1
           CO, Army Signal Res. and Dev. Laboratory
1
1
           CG, Engineer Res. and Dev. Laboratory
           Director, Office of Special Weapons Development
1
1
           CO, Watertown Arsenal
l
           CG, Mobility Command
           CO, Ordnance Materials Research Office
1
1
           CG, Munitions Command
1
           CO, Frankford Arsenal
           Rocky Mountain Arsenal
           CG, Army Ordnance Command
           AIR FORCE
           Assistant Chief of Staff, Intelligence (AFCIN-3B)
6
           CG, Aeronautical Systems Division (ASAPRD-NS)
1
           Directorate of Civil Engineering (AFOCE-ES)
1
           Director, USAF Project RAND
           Commandant, School of Aerospace Medicine, Brooks AFB
           Office of the Surgeon (SUP3.1), Strategic Air Command
```

| 1 1 2 1 1 | Office of the Surgeon General Commander, Special Weapons Center, Kirtland AFB Director, Air University Library, Maxwell AFB (CR-4030) Commander, Technical Training Wing, 3415th TTG Hq., Second Air Force, Barksdale AFB Commander, Electronics Systems Division (CRZT) CO, Hq., 2D Weather Group, Langley AFB |
|--|--|
| | OTHER DOD ACTIVITIES |
| 3 1 1 2 2 20 1 | Chief, Defense Atomic Support Agency (Library) Commander, FC/DASA, Sandia Base (FCDV) Commander, FC/DASA, Sandia Base (FCTG5, Library) Commander, FC/DASA, Sandia Base (FCWT) Office of Civil Defense, Washington Civil Defense Unit, Army Library Commander, Defense Documentation Center Director, Armed Forces Radiobiology Research Institute |
| | AEC ACTITITES AND OTHERS |
| 1 100 1 1 1 1 1 1 2 10 1 1 1 1 1 2 10 1 | Research Analysis Corporation Director, Division of Biology and Medicine Aerojet General, Azusa Aerojet General, San Ramon Allis-Chalmers Manufacturing Co., Schenectady Allis-Chalmers Manufacturing Co., Milwaukee Allis-Chalmers Manufacturing Co., Washington Allison Division - GMC Argonne Cancer Research Hospital Argonne National Laboratory Atomic Bomb Casualty Commission AEC Scientific Representative, France AEC Scientific Representative, Japan Atomic Energy Commission, Washington Atomic Energy of Canada, Limited Atomics International Babcock and Wilcox Company Battelle Memorial Institute Beryllium Corporation Pridgement Prace Commany |
| 1 1 | Bridgeport Brass Company Bridgeport Brass Company, Ashtabula |
| 1 1 | Borden Chemical Company Brookhaven National Laboratory |
| 1 | Bureau of Mines, Albany |
| 1 | Bureau of Mines, Salt Lake City |

```
Bureau of Mines, Washington
           Chance Vought Aircraft Corporation
1
           Chicago Patent Group
           Columbia University (Cropper)
1
           Columbia University (Rossi)
1
           Combustion Engineering, Inc.
           Combustion Engineering, Inc. (NRD)
           Committee on the Effects of Atomic Radiation
           Defence Research Member
           Denver Research Institute
           Division of Raw Materials, Washington
           Dow Chemical Company
           duPont Company, Aiken
           duPont Company, Wilmington
1
           Edgerton, Germeshausen and Grier, Inc., Goleta
1
           Edgerton, Germeshausen and Grier, Inc., Las Vegas
           Franklin Institute of Pennsylvania
           Fundamental Methods Association
           General Atomic Division
1
           General Dynamics / Astronautics (NASA)
2
           General Dynamics, Fort Worth
2
           General Electric Company, Cincinnati
           General Electric Company, Richland
           General Electric Company, San Jose
           General Electric Company, St. Petersburg
           General Scientific Corporation
           General Telephone and Electronic Laboratories, Inc.
           Gibbs and Cox, Inc.
           Goodyear Atomic Corporation
           Grand Junction Office
           Holmes and Narver, Inc.
           Hughes Aircraft Company, Culver City
           Iowa State University
           Jet Propulsion Laboratory
           Journal of Nuclear Medicine
           Knolls Atomic Power Laboratory
           Lockheed-Georgia Company
           Lockheed Missiles and Space Company (NASA)
           Los Alamos Scientific Laboratory (Library)
           Lovelace Foundation
1
           M and C Nuclear, Inc.
1
           Mallinckrodt Chemical Works
           Maritime Administration
1
           Martin-Marietta Corporation
           Massachusetts Institute of Technology
           Monsanto Chemical Company
```

```
1
           Mound Laboratory
           National Academy of Sciences
1
1
           NASA, Lewis Research Center
           NASA, Scientific and Technical Information Facility
1
           National Bureau of Standards (Library)
1
           National Bureau of Standards (Taylor)
1.
           National Cancer Institute
           National Lead Company of Ohio
           New Brunswick Area Office
           New Jersey State Department of Health
           New York Operations Office
           New York University (Eisenbud)
           Nuclear Materials and Equipment Corporation
           Nuclear Metals, Inc.
           Oak Ridge Institute of Nuclear Studies
           Office of Assistant General Counsel for Patents
           Phillips Petroleum Company
           Power Reactor Development Company
           Pratt and Whitney Aircraft Division
J.
           Princeton University (White)
           Public Health Service, Washington
           Public Health Service, Las Vegas
           Public Health Service, Montgomery
           Purdue University
           Radiation Applications, Inc.
1
           Rensselaer Polytechnic Institute
1
           Sandia Corporation, Albuquerque
1
           Sandia Corporation, Livermore
           Schnectady Naval Reactors Operations Office
           Space Technology Laboratories, Inc. (NASA)
           Stanford University (SLAC)
1
           States Marine Lines, Inc.
1
           Sylvania Electric Products, Inc.
           Technical Research Group
1
           Tennessee Valley Authority
1.
           Tracerlab, Inc., Richmond
           Union Carbide Nuclear Company (ORGDP)
           Union Carbide Nuclear Company (ORNL)
Union Carbide Nuclear Company (Paducah Plant)
           United Nuclear Corporation (NDA)
           United Nuclear Corporation (OMC)
           U.S. Geological Survey, Denver
           U.S. Geological Survey, Menlo Park
1
           U.S. Geological Survey, Naval Weapons Plant
           U.S. Geological Survey, Washington
           U.S. Weather Bureau, Las Vegas
```

| 1 1 2 2 1 1 1 1 1 | U.S. Weather Bureau, Washington University of California, Davis U.S. Geological Survey, WR Division University of California Lawrence Radiation Lab., Berkeley University of California Lawrence Radiation Lab., Livermore University of California, Los Angeles University of California, San Francisco University of Chicago Radiation Laboratory Hawaii Marine Laboratory University of Hawaii University of Puerto Rico University of Rochester (Atomic Energy Project) University of Tennessee (UTA) | | | | | | | |
|---|---|--|--|--|--|--|--|--|
| 1 1 | University of Utah University of Washington (Donaldson) | | | | | | | |
| 2 | Westinghouse Bettis Atomic Power Laboratory | | | | | | | |
| 1 | Westinghouse Electric Corporation (Rahilly) | | | | | | | |
| i | Westinghouse Electric Corporation (NASA) | | | | | | | |
| ī | Western Reserve University (Friedell) | | | | | | | |
| ī | Yankee Atomic Electric Company | | | | | | | |
| _ 25 | Technical Information Extension, Oak Ridge | | | | | | | |
| · | USNRDL | | | | | | | |
| | V to 2 1 h ber dat | | | | | | | |
| 40 | USNRDL, Technical Information Division | | | | | | | |

DISTRIBUTION DATE: 3 June 1963

| | 1. Uranium isotopes U238. | 2. Fission. er 3. Fission products. | | | II. Title. | UNCLASSIFIED | from fission-spectrum ener- products were then calculated CD) theory of nuclear charge |
|--|--|--|--|---|---|---|--|
| | Naval Radiological Defense Laboratory USNRDL-TR-642 | ESTIMATES OF FISSION PRODUCT YIELDS OF A THERMONUCLEAR EXPLOSION by G. R. Crocker | 4 April 1963 26 p. tables illus, 15 refs. UNCLASSIFIED | fission products from a thermonuclear explosion | have been estimated. Since unclassified data for this kind of process | are scanty, some features of the mass yield curve were inferred from (over) | published data on U ²³⁸ fission by neutrons ranging from fission-spectrum energies to 14 Mev. Independent yields of the fission products were then calculated by application of the equal charge displacement (ECD) theory of nuclear charge distribution in fission processes. |
| | 1. Uranium isotopes 0.0238 | Fission. Fission products. | 4. Thermonuclear explosions. | I. Crocker, G. R. | II. Title. | UNCLASSIFIED | m fission-spectrum eneructs were then calculated) theory of nuclear charge |
| | Naval Radiological Defense Laboratory USNRDL-TR-642 | ESTIMATES OF FISSION PRODUCT YIELDS OF A THERMONUCLEAR EXPLOSION by G. R. Grocker | 4 April 1963 26 p. tables illus. 15 refs. UNCLASSIFIED | fission products from a thermonuclear explosion | have been estimated. Since unclassified data for this kind of process | are scanty, some features of the mass yield curve were inferred from (over) | published data on U ²³⁸ fission by neutrons ranging from fission-spectrum energies to 14 Mev. Independent yields of the fission products were then calculated by application of the equal charge displacement (ECD) theory of nuclear charge distribution in fission processes. |